SAFETY

DATA SHEET

1.1 Product Identifier

Section 1: Identification

Product Name: Lonseal #650 Two-Component, Solvent-Free Epoxy Adhesive, Part A

Product Code(s): ZAD650.5, ZAD6501

1.2 Relevant Identified Uses and Uses Advised Against

Sheet vinyl flooring adhesive (see Technical Data Sheet for additional details) Product Use: Product Restriction(s): For use with sheet vinyl flooring only (see Technical Data Sheet for additional details)

1.3 Details of the Supplier of the Safety Data Sheet

Lonseal, Inc. Manufactured For: 928 E. 238th Street Address:

Carson, CA 90745 (310) 830-7111

24 Hour Emergency Phone Number: INFOTRAC - (800) 535-5053

Section 2: Hazard(s) Identification

2.1 Classification of the Substance or Mixture

Skin Corrosion/Irritation, Category 2: Causes skin irritation. Serious Eye Damage/Irritation, Category 2A: H319 Causes serious eye irritation. Skin Sensitizer, Category 1B: H317 May cause an allergic skin reaction.

Toxic to Reproduction, Category 2: H361 Suspected of damaging fertility or the unborn child. Aquatic, Chronic, Category 2: H411 Toxic to aquatic life with long lasting effects.

2.2 Label Elements



Signal Word: WARNING

Hazard Statement(s):

Causes skin irritation. H315

May cause an allergic skin reaction. H317 H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust or mist. P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection, and face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue Rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary instructions on this label). P333+P313 If skin irritation or rash occurs: Get Medical advice/attention. P337+P313 If eye irritation persists: Get Medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse

Storage Statement(s)

P405 Store locked up.

Disposal Statement(s)

P501 Dispose of contents/container in accordance with applicable regulations.

2.3 Other Hazards

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard).

SOLVENT-FREE EPOXY ADHESIVE #650 TWO-COMPONENT,

SAFETY DATA SHEET

Section 3: Composition/Information on Ingredients

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

| Ingredient/Chemical Name | CAS Number | Weight % | Classification* |
|-------------------------------|--------------|----------|-------------------------|
| Bisphenol A epoxy resin | 0025085-99-8 | 10 – 25 | Skin Irrit. 2: H315 |
| | | | Skin Sens. 1B: H317 |
| | | | Eye Irrit. 2A: H319 |
| | | | Aquatic Chronic 2: H411 |
| Alkyl epoxy resin | 0068609-97-2 | 5 – 10 | Skin Irrit. 2: H315 |
| | | | Skin Sens. 1: H317 |
| Dipropylene glycol dibenzoate | 0027138-31-4 | 2.5 – 5 | Aquatic Chronic 3: H412 |
| Nonylphenol | 0025154-52-3 | 0.1 – 1 | Acute Tox. 4: H302 |
| | | | Skin Corr. 1B: H314 |
| | | | Repr. 2: H361 |
| | | | Aquatic Acute 1: H400 |
| | | | Aquatic Chronic 1: H410 |
| Silica sand | 0014808-60-7 | 0.49 – 1 | Carc. 1A: H350 |
| | | | STOT RE 1: H372 |

^{*}The full text of the GHS Hazard Statement(s) may be found in Section 16.

Section 4: First-Aid Measures

4.1 Description of necessary first-aid measures

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an Eyes:

ophthalmologist immediately. Protect uninjured eye.

Ingestion: Do not induce vomiting, get medical attention showing the SDS and the hazard label.

Inhalation: Remove casualty to fresh air and keep warm and at rest. Skin:

Immediately take off all contaminated clothing. Obtain medical attention if skin related symptoms persist. Remove

contaminated clothing immediately and dispose of safely. After contact with skin, wash immediately with soap and

plenty of water.

4.2 Most Important Symptoms/Effects, Acute and Delayed

Eye irritation, eye damages, skin irritation, and erythema

4.3 Indication of Immediate Medical Attention and Special Treatment Needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Section 5: Fire-Fighting Measures

5.1 Suitable Extinguishing Media

Water and carbon dioxide (CO₂)

Unsuitable Extinguishing Media: None in particular

5.2 Specific Hazards Arising from the Substance or Mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

Hazardous Combustion Products: Explosive Properties: n/a **Oxidizing Properties:** n/a

5.3 Special Protective Actions for Fire-Fighters

Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Wear personal protection equipment. Remove persons to safety. See protective measures under Section 7 and 8.

6.2 Environmental Precautions

Not noted by mfg.

6.3 Methods and Materials for Containment and Cleaning Up

Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Avoid contact with skin and eyes, inhalation of vapors and mist. Exercise the greatest care when handling or opening container. Do not use empty container before they have been cleaned. Before making transfer operations, assure that there are not any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also Section 8 for recommended protective equipment.

SOLVENT-FREE EPOXY ADHESIVE #650 TWO-COMPONENT,

SAFETY

SHEET

DATA

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage Temperature:

Incompatible Materials: None in particular.

Instructions as Regards Storage Premises: Adequately ventilated premises.

Section 8: Exposure Controls/Personal Protection

8.1 Control Parameters

| Ingredient/Chemical Name | CAS Number | Source | Value (Long Term) | Behavior | Note |
|--------------------------|--------------|--------|-------------------------|-----------|--|
| Silica sand | 0014808-60-7 | ACGIH | 0.025 mg/m ³ | Not noted | A2 – Suspected Human Carcinogen; lung cancer; |
| | | | | | pulmonary fibrosis |

8.2 Appropriate Engineering Controls

n/a

8.3 Appropriate Protection Measures, Including Personal Protective Equipment

Eye Protection: Use close fitting safety goggles. Do not use eye lenses.

Respiratory Protection: n/a Skin Protection: Use clothing that provides comprehensive protection to the skin (e.g. cotton, rubber, PVC, or Viton).

Use protective gloves that provide comprehensive protection (e.g. PVC, neoprene, or rubber).

Section 9: Physical and Chemical Properties

Appearance: Liquid paste Odor: n/a Odor Threshold: n/a pH: n/a Melting Point/Freezing Point: n/a Initial Boiling Point and Boiling Range: n/a Flash Point: >201 °F (94 °C) **Evaporation Rate:** Slower than ether Flammability (Solid, Gas): Not noted by mfg. **Upper/Lower Flammability or Explosive Limits:** n/a Vapor Pressure: n/a Vapor Density: 1.50 g/cm3

Relative Density: Solubility in Water: Insoluble Partition Coefficient (n-octanol/water): n/a **Auto-Ignition Temperature:** n/a **Decomposition Temperature:** n/a Viscosity: n/a Solubility in Oil: n/a **Explosive Properties:** n/a **Oxidizing Properties:** n/a **Substance Groups Relevant Properties:** n/a Miscibility: n/a Fat Solubility: n/a Conductivity:

Section 10: Stability and Reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Data not available.

10.3 Possibility of Hazardous Reactions

None.

10.4 Conditions to Avoid

Stable under normal conditions.

10.5 Incompatible Materials

None in particular.

10.6 Hazardous Decomposition Products

None

LONSEAL®

#650 Two-Component, Solvent-Free EPOXY ADHESIVE

SAFETY DATA

SHEET

Section 11: Toxicological Information

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

| Ingredient/Chemical Name | CAS Number | Oral LD50, Rat, mg/kg (acute toxicity) | Skin LD50, Rabbit, mg/kg (acute toxicity) |
|--------------------------|--------------|---|--|
| Nonylphenol | 0025154-52-3 | 580 | 2,031 |
| Silica sand | 0014808-60-7 | 500 | Not listed |

If not differently specified, the information required in the regulation and listed below must be considered as n/a: Acute toxicity, skin corrosion/irritation, serious eye damage/irritation, respiratory or skin sensitization, germ cell mutagenicity, carcinogenicity, reproductive toxicity, STOT-single exposure, STOT-repeated exposure, and aspiration hazard.

Substance(s) listed on the IARC Monographs:Silica sand, Group 1Substance(s) listed as OSHA Carcinogen(s):Silica sandSubstance(s) listed as NIOSH Carcinogen(s):Silica sand

Substance(s) listed on the NTP Report on Carcinogen(s): Silica sand

Section 12: Ecological Information

12.1 Toxicity

Adopt good working practices, so that the product is not released into the environment.

List of components with Eco-Toxicological Properties (Aquatic Acute Toxicity)

| Ingredient/Chemical Name | CAS Number | LC50 fish, mg/L | 48 hr. EC50 crustacea, mg/L | 96 hr. EC50 algae, mg/L | 72 hr. EC50 algae, mg/L |
|--------------------------|--------------|--|-----------------------------------|---|---|
| Nonylphenol | 0025154-52-3 | 135: Pimephales promelas (96 hr.) | 14: Daphnia magna (IUCLID) | 41: Pseudo- kirchneriella subcapitata (IUCLID) | 13: Desmo- desmus subspicatus (IUCLID) |
| Silica sand | 0014808-60-7 | 10,000: Carp (72 hr.) | Not listed | Not listed | Not listed |

12.2 Persistence and Degradability

n/a

12.3 Bioaccumulative Potential

n/a

12.4 Mobility in Soil

n/a

12.5 Other Adverse Effects

n/a

Section 13: Disposal Considerations

13.1 Disposal Methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

Section 14: Transport Information

| | DOT/ADR | IMO/IMDG | ICAO/IATA |
|----------------------------|---------------------------|---------------------------|---------------------------|
| UN Number | UN3082 | UN3082 | UN3082 |
| UN Proper Shipping Name | Environmentally hazardous | Environmentally hazardous | Environmentally hazardous |
| | substance, Liquid, n.o.s. | substance, Liquid, n.o.s. | substance, Liquid, n.o.s. |
| | (Bisphenol A epoxy resin; | (Bisphenol A epoxy resin; | (Bisphenol A epoxy resin; |
| | Nonylphenol) | Nonylphenol) | Nonylphenol) |
| Transport Hazard Class(es) | 9 | 9 | 9 |
| Packing Group | III | III | III |

Environmental Hazards:

Marine Pollutant: Yes Environmental Pollutant: No

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: n/a

SAFETY DATA SHEET

```
Special Precautions for User:
     DOT:
          Special Provisions:
                                             8, 146, 173, 335, IB3, T4, TP1
         Labels:
          Symbol:
                                             n/a
          Cargo Aircraft:
                                             n/a
          Passenger Aircraft:
                                             n/a
          Bulk:
                                             n/a
         Non-Bulk:
                                             n/a
     ADR-RID:
          Exempt:
                                             No
          Label:
         Hazard Identification Number:
                                             90
          Tunnel Restriction Code:
                                             3 (E)
         Passenger Aircraft:
                                             964
          Cargo Aircraft:
                                             964
         Label:
          Subrisk:
         ERG:
                                             91
         Special Provisions:
                                             A97, A158
     IMDG:
         Stowage Code:
                                             Category A
          Stowage Note:
          Subrisk:
                                             274, 335
          Special Provisions:
          Page:
                                             n/a
         Label:
          EmS:
                                             F-A, S-F
          MFAG:
                                             n/a
```

Section 15: Regulatory Information

Toxic Substance Control Act (TSCA): All components are listed on the TSCA Inventory.

Listed Substance(s) Section Bisphenol A epoxy resin Alkyl epoxy resin Dipropylene glycol dibenzoate a8

Nonylphenol 8b, 8a - PAIR Silica sand 8h

Superfund Amendments and Reauthorization Act (SARA)

Section 302 - Extremely Hazardous Substances: No substances listed.

Section 304 - Hazardous Substances: No substances listed. Section 313 - Toxic Chemical List: No substances listed.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

Listed Substance(s): No substances listed.

Clean Air Act (CAA)

Listed Substance(s) Section 112(b) - HON Nonylphenol

Clean Water Act (CWA)

Listed Substance(s): No substances listed.

USA – State Regulations

California Proposition 65: Silica sand (Carcinogen) Massachusetts RTK: Nonylphenol, Silica sand New Jersey RTK: Silica sand

Pennsylvania RTK: Nonylphenol, Silica sand

Canada - Federal Regulations

Domestic Substances List (DSL): All the substances are listed in the DSL.

Non-Domestic Substances List (NDSL): No substances listed. National Pollutant Release Inventory (NPRI): No substances listed.

Section 16: Other Information

Additional Classification Information:

HMIS Health: 1 = Slight

HMIS Health - Is health hazard chronic?: Yes HMIS Flammability: 1 = Combustible if heated

HMIS Reactivity: 0 = Minimal

HMIS PPE: B = Safety glasses, gloves

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal

NFPA Special Risk:

Full Text of GHS Hazard Statements from Section 3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

SOLVENT-FREE EPOXY ADHESIVE #650 TWO-COMPONENT,

SAFETY DATA SHEET

| H317 | May cause an allergic skin reaction. |
|------|--|
| H319 | Causes serious eye irritation. |
| H350 | May cause cancer if inhaled. |
| H361 | Suspected of damaging fertility or the unborn child if inhaled. |
| H372 | Causes damage to organs through prolonged or repeated exposure if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

DISCLAIMER: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or in any other process. The manufacturer makes no representations and assumes no liability for any direct, incidental, or consequential damages resulting from its use. The information herein is presented in good faith and based upon data from manufacturers and/or technical sources, and is believed to be accurate as of the revision date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State, or provincial and local laws. Conditions of use are beyond our control and therefore users are responsible to verify this data under their own conditions to determine suitability for their purpose. Users of this product must comply with all applicable health and safety laws, regulations, and orders. Users of this product assume all risks of use, handling, and disposal, or from use of the information contained within this document.

General Statements:

Keep out of the reach of children. For professional or industrial use only.

If you cannot read, or do not understand all directions, cautions, and warnings for this product, DO NOT use.

Abbreviations (may not actually appear within document):

American Conference of Governmental Industrial Hygienists **ACGIH**

European Agreement concerning the International Carriage of Dangerous Goods by Road **ADR**

ATE Acute Toxicity Estimate

Body Weight bw Carcinogenicity Carc

Chemical Abstracts Service CAS CFR Code of Federal Regulations

CMR Carcinogenicity, Mutagenicity, and Toxicity for Reproduction

CNS Central Nervous System

centistokes cSt d Day(s) Dam. Damage

German Institute for Standardization DIN

DNEL Derived No Effect Level Domestic Substances List DSL DOT Department of Transportation EC European Commission

EC50

Effective Concentration, for 50% of Test Population

Emergency Schedule Information **EmS** Environmental Protection Agency EPA

EPCRA Emergency Planning and Community Right-to-Know Act ErC50 Effective Concentration, for 50% of Test Population

Emergency Response Guidebook FRG grams

GHS Globally Harmonized System **HMIS** Hazardous Materials Identification System

hour(s) hr.

IARC International Agency for Research on Cancer IATA International Air Transport Association **ICAO** International Civil Aviation Organization International Maritime Dangerous Goods **IMDG** International Maritime Organization IMO

IOELV Indicative Occupational Exposure Limit Values

Irrit. Irritation liter(s) lbs. pounds

LC50 Lethal Concentration, for 50% of Test Population

LD50 Lethal Dose, for 50% of Test Population Liq. Liquid

meter(s) m

MFAG

Medical First Aid Guide for Use in Accidents Involving Dangerous Goods Manufacturer mfg.

milligram(s) mg mĹ milliliter n/a Not Applicable not otherwise specified n.o.s.

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

NOEC No Observed Effect Concentration NTP National Toxicology Program Occupational Exposure Limits OEL

OSHA Occupational Safety and Health Administration

Pa Pascal

PBT Persistent Bioaccumulative and Toxic

Permissible Exposure Limit PEL **PNEC** Predicted No Effect Concentration PPE Personal Protective Equipment

Parts Per Million mag Reproductive Toxicity Repr.

SOLVENT-FREE EPOXY ADHESIVE #650 Two-Component,

Respiratory Tract Irritation Respir. RID

Regulation Concerning the International Transport of Dangerous Goods by Rail

RQ Reportable Quantities Right-to-Know RTK Safety Data Sheet SDS Sensitization Sens.

STEL Short-Term Exposure Limit STOT Specific Target Organ Toxicity

STOT RE Specific Target Organ Toxicity, Repeat Exposure Specific Target Organ Toxicity, Single Exposure STOT SE TCC Tag Closed Cup

THF Tetrahyrdofuran Threshold Limit Value TLV

Tox.

Toxicity
Toxic Substances Control Act TSCA TWA Time Weighted Average

vPvB very Persistent and very Bioaccumulative

Workplace Exposure Limit WEL

WHMIS Workplace Hazardous Materials Information System

Revision History:

6.1.2015 Initial SDS Release. SDS provided by mfg. was incorporated into Lonseal's letterhead/layout. Items contained

within Section 16, from "DISCLAIMER" and below, are exclusive to Lonseal's version of the SDS.

9.15.2015 SDS updated to match the most recently supplied manufacturer's revision, and added a new product code. Sections

revised: 1.1, 2.1, 2.2, 2.3, 3, 4.1, 4.2, 5.2, 6.1, 7.1, 11, 12.1, 15, and 16.

SDS updated to match the most recently supplied manufacturer's revision. Sections revised: 1, 2, 3, 4.1, 5.1, 8, 9, 9.6.2016

11, 12.1, 14, 15, and 16.

SAFETY DATA SHEET